| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 2 | 0 | 5709233. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:38 |
| 3 | 21 | "5709233" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 11:04 |
| 1 | 3 | "6339267" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 11:34 |
| 7 | 31 | ("2953117" \| "3968843" \| "4403722" \| "4483473" \| "4483474" \| "4522162" \| "4597453" \| "4625903" \| "RE32452" \| "4772042" \| "4974819" \| "5170851" \| "5177915" \| "5187400" \| "5197646" \| "5263439" \| "5320268" \| "5530304" \| "5651419" \| "5680980" \| "5687898" \| "5713313" \| "5875562" \| "5952766" \| "6045112" \| "6171079" \| "6236126" \| "6262504" \| "6269888" \| "6375171" \| "6394191").PN. | USPAT | 2004/07/26 11:11 |
| 8 | 1 | 6619527.URPN. | USPAT | 2004/07/26 11:30 |
| 12 | 4 | ("1564896" \| "3426441" \| "4135080" \| "4232454").PN. | USPAT | 2004/07/26 11:30 |
| 13 | 8 | 5875562.URPN. | USPAT | 2004/07/26 11:31 |
| 14 | 102 | (248/612).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 11:34 |
| 15 | 8 | ("0697020" \| "1435763" \| "1860883" \| "2063063" \| "2459692" \| "2936140" \| "3508729" \| "3773285").PN. | USPAT | 2004/07/26 11:35 |
| 16 | 8 | 4293114.URPN. | USPAT | 2004/07/26 11:36 |
| 17 | 15799 | (fan or motor)near2 mount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:38 |
| 18 | 18383 | (fan or motor)near2 mount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:38 |
| 19 | 18383 | (fan or motor) near2 mount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:38 |
| 20 | 988 | (fan or motor) near2 mount with vibration | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:38 |
| 21 | 0 | (fan or motor) near2 mount with vibration and combustion near2 tool | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:39 |

| | | | | |
|---|---|---|---|---|
| 22 | 58 | (fan or motor) near2 mount with vibration and combustion | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:42 |
| 23 | 13 | ("1860826" \| "2002762" \| "2392233" \| "2877820" \| "2888246" \| "3015244" \| "3042924" \| "3280921" \| "3366302" \| "3602419" \| "3913685" \| "3924692" \| "4511074").PN. | USPAT | 2004/07/26 13:40 |
| 24 | 9 | 4625903.URPN. | USPAT | 2004/07/26 13:41 |
| 25 | 45779 | fan near3 motor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:43 |
| 26 | 3964 | fan near3 motor near3 mount$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:43 |
| 27 | 280 | fan near3 motor near3 mount$3 and combustion | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:43 |
| 28 | 6 | fan near3 motor near3 mount$3 and combustion near3 tool | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:43 |
| 29 | 5 | "6262504" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:46 |
| 30 | 12 | "5530304" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:46 |
| 31 | 3 | "6339267" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:47 |
| 32 | 21 | "5709233" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:48 |
| 33 | 62 | ("6394191"\|"6375171"\|"6366126"\|"0629688"\|"6262504"\|"6172079"\|"6045112"\|"595276 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:51 |
| 34 | 32 | ("6394191"\|"6375171"\|"6366126"\|"0629688"\|"6262504"\|"6172079"\|"6045112"\|"595276 | | 2004/07/26 13:55 |
| 35 | 0 | "19906585" | USPAT | 2004/07/26 13:55 |
| 36 | 2 | "19906585" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 13:56 |
| 39 | 10 | ("3941339" \| "4566865" \| "4648579" \| "4768925" \| "4819503" \| "5069413" \| "5112024" \| "5126607" \| "5366198" \| "5533704").PN. | USPAT | 2004/07/26 14:14 |

| | | | | |
|---|---|---|---|---|
| 40 | 1136 | 248/638.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 14:17 |
| 41 | 369 | 248/638.ccls. and motor | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 14:17 |
| 42 | 18 | 248/638.ccls. and motor and tool | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 14:18 |
| 43 | 157 | 248/638.ccls. and motor and housing | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/07/26 14:18 |
| 46 | 10 | ("2650021" \| "2936141" \| "3144859" \| "3161388" \| "3244105" \| "3310698" \| "3976393" \| "4116171" \| "4120271" \| "4213426").PN. | USPAT | 2004/07/26 14:24 |
| 47 | 19 | 4568243.URPN. | USPAT | 2004/07/26 14:26 |
| - | 3110 | hytrel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 10:54 |
| - | 591 | hytrel and (cushion or suspension or shock) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 10:55 |
| - | 669 | hytrel and (cushion or suspension or shock) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 10:55 |
| - | 20 | hytrel and (cushion or suspension or shock) and combustion | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 10:56 |
| - | 96 | hytrel and (cushion or suspension or shock) and tool | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:07 |
| - | 0 | hytrel and (cushion or suspension or shock) and tool | USOCR | 2004/06/01 11:04 |
| - | 14 | 5201500.URPN. | USPAT | 2004/06/01 11:06 |
| - | 148 | hytrel and (bumper or spring) and tool | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:18 |
| - | 0 | hytrel and (bumper or spring) and tool | USOCR | 2004/06/01 11:26 |
| - | 0 | "6619527" | USOCR | 2004/06/01 11:26 |
| - | 2 | "6619527" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:45 |

| | | | | |
|---|---|---|---|---|
| - | 31 | ("2953117" \| "3968843" \| "4403722" \| "4483473" \| "4483474" \| "4522162" \| "4597453" \| "4625903" \| "RE32452" \| "4772042" \| "4974819" \| "5170851" \| "5177915" \| "5187400" \| "5197646" \| "5263439" \| "5320268" \| "5530304" \| "5651419" \| "5680980" \| "5687898" \| "5713313" \| "5875562" \| "5952766" \| "6045112" \| "6171079" \| "6236126" \| "6262504" \| "6269888" \| "6375171" \| "6394191").PN. | USPAT | 2004/06/01 11:26 |
| - | 0 | 6619527.URPN. | USPAT | 2004/06/01 11:45 |
| - | 1286 | (227/10,130).CCLS. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:45 |
| - | 1286 | (227/10,130).ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:45 |
| - | 231 | (227/10,130).ccls. and combustion | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:46 |
| - | 52 | (227/10,130).ccls. and combustion and fan | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:46 |
| - | 1 | (227/10,130).ccls. and combustion and fan near mount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:46 |
| - | 1 | (227/10,130).ccls. and combustion and fan near mount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:46 |
| - | 1 | (227/10,130).ccls. and fan near mount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:47 |
| - | 0 | (227/10,130).ccls. and fan near mount | USOCR | 2004/06/01 11:47 |
| - | 0 | (227/10,130).ccls. and fan with mount | USOCR | 2004/06/01 11:47 |
| - | 1 | (227/10,130).ccls. and fan with mount | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 11:47 |
| - | 1286 | (227/10,130).ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 12:16 |
| - | 574 | (173/210,211).ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 12:16 |
| - | 8 | (173/210,211).ccls. and fan | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 12:21 |

| | | | | |
|---|---|---|---|---|
| - | 19 | (173/210,211).ccls. and combustio$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 12:21 |
| - | 16 | (173/210,211).ccls. and combustio$3 | USOCR | 2004/06/01 12:21 |
| - | 5 | (173/210,211).ccls. and fan | USOCR | 2004/06/01 13:18 |
| - | 73411 | fan | USOCR | 2004/06/01 13:19 |
| - | 6744 | fan same mount | USOCR | 2004/06/01 13:20 |
| - | 45663 | fan same (mount$3 or suspend$3 or suspension or frangible) | USOCR | 2004/06/01 13:21 |
| - | 9062 | fan same (mount$3 or suspend$3 or suspension or frangible) and (combustion or explosive) | USOCR | 2004/06/01 13:22 |
| - | 94 | fan same (mount$3 or suspend$3 or suspension or frangible) and (combustion or explosive) near (tool or device) | USOCR | 2004/06/01 13:26 |
| - | 272 | fan same (mount$3 or suspend$3 or suspension or frangible) and (combustion or explosive) near (tool or device) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 13:26 |
| - | 23 | fan same (mount$3 or suspend$3 or suspension or frangible) same (ring) and (combustion or explosive) near (tool or device) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 13:33 |
| - | 0 | fan near motor near (mount$3 or suspend$3 or suspension or frangible) and hytrel | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 13:33 |
| - | 0 | fan near motor near (mount$3 or suspend$3 or suspension or frangible) and hytrel | USOCR | 2004/06/01 13:33 |
| - | 934 | fan near motor near (mount$3 or suspend$3 or suspension or frangible) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 13:35 |
| - | 208 | fan near motor near (mount$3 or suspend$3 or suspension or frangible) and vibration | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 13:35 |
| - | 206 | fan near motor near (mount$3 or suspend$3 or suspension or frangible) and vibrat$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 13:35 |
| - | 39 | fan near motor near (mount$3 or suspend$3 or suspension or frangible) and (reduc$3 or less$3 or stop or prevent$3) near vibrat$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 13:46 |
| - | 6 | ("3903443" \| "4452417" \| "4643386" \| "4849665" \| "5203093" \| "5521447").PN. | USPAT | 2004/06/01 13:38 |
| - | 2 | 5959379.URPN. | USPAT | 2004/06/01 13:39 |
| - | 2 | 5959379.URPN. | USPAT | 2004/06/01 13:40 |
| - | 330 | 123/46sc | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 14:02 |

| | | | | |
|---|---|---|---|---|
| - | 39 | 123/46sc and fan | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 14:02 |
| - | 10308 | (shock or bumper or cushion of brace) and (lock or retain$3 or snap) near ring | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 15:22 |
| - | 8239 | (shock or bumper or cushion or brace) and (lock or retain$3 or snap) near ring | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 15:22 |
| - | 0 | (shock or bumper or cushion or brace) and (lock or retain$3 or snap) near ring and 227/*.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 15:22 |
| - | 63 | (shock or bumper or cushion or brace) and (lock or retain$3 or snap) near ring and 227/$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 15:22 |
| - | 21 | (shock or bumper or cushion or brace) and (lock or retain$3 or snap) near ring and 227/$.ccls. and combustion | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/06/01 15:22 |
| - | 7 | ("1638968" \| "2056676" \| "2905411" \| "3323763" \| "3343016" \| "4082974" \| "5019737").PN. | USPAT | 2004/06/01 16:38 |
| - | 11 | 5521447.URPN. | USPAT | 2004/06/01 16:38 |